

On behalf of GIZ Caribbean we are requesting the attach goods shipped to the Att: Permanent Secretary, Ministry of Blue and Green Economy, Agriculture and National Food Security , **Dominica.**

Only quotes received in USD exclusively to the email address DO_Quotation@giz.de will participate in the tendering process. Please reply by **5 pm on September 28, 2020.**

| N° | Amount | |
|----|--------|---|
| 1 | 5 | Bucket milker Dimensions; 18.5 inches high x 13 inch diameter at bottom. seamless stainless steel. no inside seams Capacity 6 gallon. |
| 2 | 2 | HD Portable Vacuum Supply for 1 or 2 buckets gasoline powered, portable , 2 bucket vacuum Oil lubricated pump, 8 cfm @ 15" Hg. Steel vacuum tank |
| 3 | 5 | Milking stands Includes headpiece. Removable side rails reverse from top to bottom to make a raised fitting stand. Removable handle allows you to attach cart to a lawnmower or ATV. Removable ramp stores easily under the base when not in use. Durable steel construction with powder coat finish. |
| 7 | 1 | Milk Pouch Packing Machine Pack tech, dimensions 5*5*5 fully automatic, 1500 pouch per hour, stainless steel filling capacity 200-1000ml; Fin Seal/Lap Seal; machine weights-250 - 350 kg Name of Company:Neelkanth Packaging Machinery |
| 8 | 1 | Pasteuriser 9 ½" Diameter Tank,43" High, 15 gallons tainless steel double jacket, 7500 W Product Immersion Heater, 50 W Air Space Heater, 220 Volts Single Phase 40 Amp |

Please note:

- Except under exceptional circumstances, no extension of date by which the tender must be submitted will be granted. Late submissions will not be accepted.
- In order to maintain transparency and equality, all questions, unless commercially confidential, asked by, and answer given to, individual tenderers will be recorded and circulated in an anonymized form to all tenderers.
- We look forward to receiving your proposal . However, if you decide not to submit one, we would be grateful if you could inform us in writing.
- Incomplete proposals or documentation sent to a different email address than the one indicated above will not be taken into account.

